

PCB Punching



FPC Punching Machine, CWPL Features:

- 1) Depaneling PCB/FPC by means of punching dies, to avoid micro-cracks caused by manual.
- 2) Die toolings is changeable
- 3) Easy set up of punching dies
- 4) Loading and unloading PCBs is convenient
- 5) Easy operation, has safe protection system
- 6) Air cylinder driven

FPC Punching Machine, CWPL Specification:

Description	Punching machine
Model	CWPL
Working area	460*320mm
Working pressure	0.45-0.7Mpa
Machine dimension	930*880*1230mm
Cutting precision	±0.05mm
Cycle time	7.5s/cycle
Weight	650KG
Output	8T
PCB/FPC thickness	0.08-3.5MM
PCB/FPC material	FPC, FR1, FR4, CEM-1, CEM-3, MCPCB
Cutting mode	Punching
Punch fixture	Die tooling(mold)
Working Property	LCD display, Automatically records the number of processed products, automatic punching
Transmission port	International standard
Instruction system	International standard instruction system
Operation Language	English
Stroke	50MM
Mold height	130MM
Shut height	80MM
Flat area	530*320MM
Flat thickness	38MM
Power	380/220V
Fuse	3A
Composition	Punching machine, Air cylinder, Ottomans, etc